VEHICLE DYNAMICS CONTROL (VDC) (DIAGNOSTICS)

2. Check List for Interview

A: CHECK

Check the following item about the vehicle's state.

1. STATE OF ABS WARNING LIGHT

ABS warning light	Always			
illuminates.	Sometimes			
	Only once			
	Does not illuminate			
	When/How long does it illuminate?			
Ignition key position	LOCK			
	☐ ACC			
	ON (before starting engine)			
	START			
	ON (after starting engine, engine is running)			
	ON (after starting engine, engine is at a standstill)			
Timing	☐ Immediately after turning the ignition switch to ON			
	Immediately after turning the ignition switch to START			
	■ While accelerating	_	- km/h	
		_	- MPH	
	☐ While driving at a constant speed	km/ł	MPH	
	■ While decelerating	_	- km/h	
		_	- MPH	
	☐ When turning to the right	Steering angle:	deg	
		Steering time:	Sec.	
	■ When turning to the left	Steering angle:	deg	
		Steering time:	Sec.	
	☐ When other electrical parts are operating			
	Part name:			
	Operating condition:			

VEHICLE DYNAMICS CONTROL (VDC) (DIAGNOSTICS)

VDC warning light &	☐ Always			
VDC indicator light	Sometimes			
illuminates.	Only once			
	Does not illuminate			
1 10 1 10	• When/How long does it illuminate?			
Ignition key position	LOCK ACC			
	ON (before starting engine)			
	START			
	ON (after starting engine, engine is running)			
	ON (after starting engine, engine			
Timing	☐ Immediately after turning the ignition switch to ON☐ Immediately after turning the ignition switch to START			
		I	km/h	
	☐ While accelerating	_	- KIII/II - MPH	
	☐ While driving at a constant speed	km/t		
	While decelerating	KIII/I	- km/h	
		_	- NIT/II	
	☐ When turning to the right	Steering angle:	deg	
		Steering time:	Sec.	
	☐ When turning to the left	Steering angle:	deg	
		Steering time:	Sec.	
	☐ When other electrical parts are operating			
	Part name:			
	Operating condition:			
3. STATE OF V	DC OFF INDICATOR LIGHT			
VDC OFF indicator	■ Always			
light illuminates.	Sometimes			
	Only once			
	Does not illuminate • When/How long does it illuminate?			
	- writer/riow long does it illuminate!			

VDC OFF indicator	Always			
light illuminates.	☐ Sometimes ☐ Only once			
	Does not illuminate			
	When/How long does it illuminate?			
Ignition key position	ion LOCK			
	☐ ACC			
	ON (before starting engine)			
	☐ START			
	ON (after starting engine, engine is running)			
	ON (after starting engine, engine is at a standstill)			
Timing	Immediately after turning the ignition switch to ON			
3	☐ Immediately after turning the ignition switch to START			
	☐ While accelerating	_	km/h	
		_	MPH	
	☐ While driving at a constant speed	km/h	MPH	
	☐ While decelerating	_	km/h	
		_	MPH	
	☐ When turning to the right	Steering angle:	deg	
		Steering time:	Sec.	
	■ When turning to the left	Steering angle:	deg	
		Steering time:	Sec.	
	☐ When other electrical parts are operating			
	Part name:			
	Operating condition:			

VEHICLE DYNAMICS CONTROL (VDC) (DIAGNOSTICS)

4. CONDITIONS UNDER WHICH TROUBLE OCCURS

Environment	a) Weather	☐ Fine	
		Cloudy	
		Rainy	
		Snowy	
		Others:	
	b) Ambient temperature		°C (°F)
	c) Road	☐ Inner city	
		Suburbs	
		Highway	
		Local street	
		Uphill	
		☐ Downhill	
		■ Paved road	
		Gravel road	
		■ Muddy road	
		☐ Sandy place	
		Straight road	
		☐ Sharp curve	
		☐ Gentle curve	
		S-curve	
		Road with a slope on both sides	
		Others:	
	d) Road surface	□ Dry	
		☐ Wet	
		Covered with fresh snow	
		Covered with hardened snow	
		Frozen slope	
		Others:	

VEHICLE DYNAMICS CONTROL (VDC) (DIAGNOSTICS)

Condition	a) Brakes	Deceleration:	G		
		continuous / intermittent			
	b) Accelerator	Acceleration:	G		
		continuous / intermittent			
	c) Vehicle speed	km/h	MPH		
		Advancing			
		While accelerating			
		While decelerating			
		At low speed When turning			
		Others:			
	d) Tire inflation pressure	Front RH tire:	kPa		
	,	Front LH tire:	kPa		
		Rear RH tire:	kPa		
		Rear LH tire:	kPa		
	e) Degree of wear	Front RH tire:	mm (in)		
		Front LH tire:	mm (in)		
		Rear RH tire:	mm (in)		
		Rear LH tire:	mm (in)		
	f) Steering wheel	☐ Sharp turning			
		Gentle turning			
		Straight forward motion Gentle return			
		Sharp return			
	g) Tire/Wheel size	Specified size			
	9) 1110/11110010120	Except specification (
	h) Tire variation	Summer tire			
		Studless tire (Brand:			
	i) Tire chain is attached: 🔲 🗅	Yes / 🔲 No			
	j) Using T-type tires: Yes /	j) Using T-type tires: Yes / No			
	k) Condition of suspension al	k) Condition of suspension alignment:			
	I) Load condition:				
	m) Repaired parts are used:	m) Repaired parts are used: Test / No			
	Content:	• Content:			
	n) Others:				